First Regular Session - 2023

IN THE HOUSE OF REPRESENTATIVES

HOUSE BILL NO. 4

BY HEALTH AND WELFARE COMMITTEE

1	AN ACT
2	RELATING TO UNIFORM CONTROLLED SUBSTANCES; AMENDING SECTION 37-2705, IDAHC
3	CODE, TO REVISE PROVISIONS REGARDING SCHEDULE I CONTROLLED SUBSTANCES;
4	AMENDING SECTION 37-2711, IDAHO CODE, TO REVISE PROVISIONS REGARDING
5	SCHEDULE IV CONTROLLED SUBSTANCES; AMENDING SECTION 37-2713, IDAHC
6	CODE, TO REVISE PROVISIONS REGARDING SCHEDULE V CONTROLLED SUBSTANCES;
7	AND DECLARING AN EMERGENCY AND PROVIDING AN EFFECTIVE DATE.
8	Be It Enacted by the Legislature of the State of Idaho:
9	SECTION 1. That Section 37-2705, Idaho Code, be, and the same is hereby
10	amended to read as follows:
11	37-2705. SCHEDULE I. (a) The controlled substances listed in this sec-
12	tion are included in schedule I.
13	(b) Any of the following opiates, including their isomers, esters,
14 15	ethers, salts, and salts of isomers, esters, and ethers, unless specifically
15 16	excepted, whenever the existence of these isomers, esters, ethers and salts is possible within the specific chemical designation:
10 17	(1) Acetyl-alpha-methylfentanyl (N-[1-(1-methyl-2-phenethyl)-4-pip-
18	eridinyl]-N-phenylacetamide);
19	(2) Acetylmethadol;
20	(3) Acetyl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-phenylac-
21	etamide);
22	(4) Acryl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-phenylacry-
23	lamide;
24	(5) Allylprodine;
25	(6) Alphacetylmethadol (except levo-alphacetylmethadol also known as
26	levo-alpha-acetylmethadol, levomethadyl acetate or LAAM);
27	(7) Alphameprodine;
28 29	(8) Alphamethadol;(9) Alpha-methylfentanyl;
29 30	(10) Alpha-methylthiofentanyl (N-[1-methyl-2-(2-thienyl)ethyl-4-
31	piperidinyl]-N-phenylpropanamide);
32	(11) Benzethidine;
33	(12) Betacetylmethadol;
34	(13) Beta-hydroxyfentanyl (N-[1-(2-hydroxy-2-phenethyl)-4-piperid-
35	inyl]-N-phenylpropanamide);
36	(14) Beta-hydroxythiofentanyl;
37	(15) Beta-hydroxy-3-methylfentanyl (N-(1-(2-hydroxy-2-phenethyl)-3-
38	<pre>methyl-4-piperidinyl)-N-phenylpropanamide);</pre>
39	(16) Betameprodine;
40	(17) Betamethadol;
41	(18) Beta-methyl fentanyl;
42	(19) Beta'-phenyl fentanyl;

```
(20) Betaprodine;
1
2
         (21)
              Brorphine (1-(1-(4-Bromophenyl)ethyl)piperidin-4-yl)-1,3-
         dihydro-2H-benzo[D]imidazol-2-one);
3
         (22)
                 Butonitazene
                                 (2-(2-(4-butoxybenzyl)-5-nitro-1hbenzimida-
4
5
         zol-1-yl) -N, N-diethylethan-1-amine);
         (22) (23) Clonitazene;
6
7
         \frac{(23)}{(24)} (24) Crotonyl fentanyl ((E)-N-(1-phenethylpiperidin-4-yl)-N-
         phenylbut-2-enamide);
8
         (24) (25) Cyclopentyl fentanyl
                                              (N-(1-phenethylpiperidin-4-yl)-N-
9
10
         phenylcyclopentanecarboxamide);
         (25) (26) Cyclopropyl fentanyl
                                              (N-(1-phenethylpiperidin-4-yl)-N-
11
         phenylcyclopropanecarboxamide);
12
         (26) (27) Dextromoramide;
13
         \frac{(27)}{(28)} Diampromide;
14
         (28) (29) Diethylthiambutene;
15
16
         (29) (30) Difenoxin;
         (30) (31) Dimenoxadol;
17
         (31) (32) Dimepheptanol;
18
         (32) (33) Dimethylthiambutene;
19
20
         (33) (34) Dioxaphetyl butyrate;
21
         (34) (35) Dipipanone;
         (35) (36) Ethylmethylthiambutene;
22
         (37) Etodesnitazene; Etazene (2-(2-(4-ethoxybenzyl)-1hbenzimida-
23
24
         zol-1-yl) -N, N-diethylethan-1-amine);
         (36) (38) Etonitazene;
25
26
         (37) (39) Etoxeridine;
         (38) (40) Fentanyl-related substances. "Fentanyl-related substances"
27
         means any substance not otherwise listed and for which no exemption or
28
         approval is in effect under section 505 of the federal food, drug, and
29
         cosmetic act, 21 U.S.C. 355, and that is structurally related to fen-
30
         tanyl by one (1) or more of the following modifications:
31
               i. Replacement of the phenyl portion of the phenethyl group by any
32
               monocycle, whether or not further substituted in or on the monocy-
33
34
               cle;
35
               ii. Substitution in or on the phenethyl group with alkyl, alkenyl,
               alkoxyl, hydroxyl, halo, haloalkyl, amino, or nitro groups;
36
               iii. Substitution in or on the piperidine ring with alkyl,
37
38
               alkenyl, alkoxyl, ester, ether, hydroxyl, halo, haloalkyl, amino,
               or nitro groups;
39
               iv. Replacement of the aniline ring with any aromatic monocycle,
40
               whether or not further substituted in or on the aromatic monocy-
41
42
               cle; and/or
               v. Replacement of the N-propionyl group by another acyl group;
43
         (39) (41) Fentanyl carabamate;
44
         (42) Flunitazene (N,N-diethyl-2-(2-(4-fluorobenzyl)-5-nitro-1h-ben-
45
         zimidazol-1-yl)ethan-1-amine);
46
47
               (43) 4-Fluoroisobutyryl fentanyl
                                                      (N-(4-fluorophenyl)-N-(1-
48
         phenethylpiperidin-4-yl)isobutyramide);
         (41) (44) 2'-fluoro ortho-fluorofentanyl;
49
```

```
(42) (45) Furanyl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-phenyl-
1
2
         furan-2-carboxamide);
         (43) (46) Furethidine;
3
         (44) (47) Hydroxypethidine;
4
         (45) (48) Isobutyryl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-
5
6
         phenylisobutyramide);
7
         (46) (49) Isotonitazene (N, N-diethyl-2-(2-(4isopropoxybenzyl)-5-ni-
         tro-1h-benzimidazol-1-yl)ethan-1-amine);
8
         (47) (50) Ketobemidone;
9
10
         (48) (51) Levomoramide;
         (49) (52) Levophenacylmorphan;
11
         (53) Methoxetamine;
12
         (50) (54) Methoxyacetyl fentanyl (2-methoxy-N-(1-phenethylpiperidin-
13
         4-yl)-N-phenylacetamide;
14
         (51) (55) 4'-methyl acetyl fentanyl;
15
16
         (52) (56) 3-Methylfentanyl;
               (57) 3-methylthiofentanyl (N-[(3-methyl-1-(2-thienyl)ethyl-4-
17
         piperidinyl] -N-phenylpropanamide);
18
         (58) Metodesnitazene (N, N-diethyl-2-(2-(4-methoxybenzyl)-1h-benzim-
19
20
         idazol-1-yl)ethan-1-amine);
                 Metonitazene
                                 (N, N-diethyl-2-(2-(4-methoxybenzyl)-5-nitro-
21
         1hbenzimidazol-1-yl)ethan-1-amine);
22
         (54) (60) Morpheridine;
23
24
         (55) (61) MPPP (1-methyl-4-phenyl-4-propionoxypiperidine);
         (56) (62) MT-45 (1-cyclohexyl-4- (1,2-diphenylethyl)piperazine);
25
26
         (57) (63) N-(4-chlorophenyl)-N-(1-phenethylpiperdin-4-yl)Isobutyra-
         mide (para-chloroisobutyrl fentanyl);
27
         (58) (64) Noracymethadol;
28
         (59) (65) Norlevorphanol;
29
         <del>(60)</del> <u>(66)</u> Normethadone;
30
         <del>(61)</del> (67) Norpipanone;
31
         (68) N-pyrrolidino etonitazene (2-(4-ethoxybenzyl)-5-nitro-1-(2-
32
         (pyrrolidin-1-yl)ethyl)1hbenzimidazole);
33
                                           (N-(2-fluorophenyl)-2-methoxy-N-(1-
34
         +(62)
                  (69)
                           Ocfentanil
35
         phenethylpiperidin-4-yl) acetamide);
         (63) (70) Ortho-fluoroacryl fentanyl;
36
         (64) (71) Ortho-fluorobutyrl fentanyl;
37
         (65) (72) Ortho-fluorofentanyl;
38
         (66) (73) Ortho-fluoroisobutyryl fentanyl;
39
         (67) (74) Ortho-methyl acetylfentanyl;
40
         (68) (75) Ortho-methyl methoxyacetyl fentanyl;
41
         (69) (76) Para-chloroisobutyryl fentanyl (N-(4-chlorophenyl)-N-(1-
42
         phenethylpiperidin-4-yl) isobutyramide);
43
              (77) Para-fluorobutyryl fentanyl (N-(4-fluorophenyl)-N-(1-
44
         +(70)
         phenethylpiperidin-4-yl) butyramide);
45
                   (78) Para-fluorofentanyl (N-(4-fluorophenyl)-N-[1-(2-phen-
46
         +(71)
         ethyl)-4-piperidinyl] propanamide);
47
48
         (72) (79) Para-fluoro furanyl fentanyl;
49
         (80) Para-methoxybutyryl fentanyl (N-(4-methoxyphenyl)-N-(1-
         phenethylpiperidin-4-yl) butyramide);
50
```

```
(74) (81) Para-methylfentanyl;
1
2
         (75) (82) PEPAP (1-(-2-phenethyl)-4-phenyl-4-acetoxypiperidine);
         (76) (83) Phenadoxone;
3
         \frac{(77)}{(84)} Phenampromide;
4
         (78) (85) Phenomorphan;
5
         (79) (86) Phenoperidine;
6
         (80) (87) Phenyl fentanyl;
7
         (81) (88) Piritramide;
8
         (82) (89) Proheptazine;
9
10
         (83) (90) Properidine;
         <del>(84)</del> (91) Propiram;
11
         (92) Protonitazene (N, N-diethyl-2-(5-nitro-2-(4-propoxybenzyl)-1h-
12
         benzimidazol-1-yl)ethan-1-amine);
13
         (85) (93) Racemoramide;
14
         (86) (94) Tetrahydrofuranyl fentanyl (N-(1-phenethylpiperidine-4-
15
16
         yl) -N-phenyltetrahydrofuran-2-carboxamide);
                   (95) Thiofentanyl (N-phenyl-N-[1-(2-thienyl)ethyl-4-piper-
17
         +(87)
         idinyl]-propanamide);
18
19
         (88) (96) Tilidine;
20
         (89) (97) Trimeperidine;
         (90) (98) u-47700 (3,4-Dichloro-N-[2-(dimethylamino)cyclohexyl]-N-
21
         methylbenzamide);
22
         +(91)
                                   fentanyl
                                               (N-(1-phenethylpiperidin-4-yl)-N-
23
                 (99)
                        Valeryl
24
         phenylpentanamide).
         (c) Any of the following opium derivatives, their salts, isomers and
25
26
     salts of isomers, unless specifically excepted, whenever the existence of
     these salts, isomers and salts of isomers is possible within the specific
27
     chemical designation:
28
          (1) Acetorphine;
29
          (2) Acetyldihydrocodeine;
30
          (3) Benzylmorphine;
31
          (4) Codeine methylbromide;
32
          (5) Codeine-N-Oxide;
33
34
          (6) Cyprenorphine;
35
          (7) Desomorphine;
          (8) Dihydromorphine;
36
          (9) Drotebanol;
37
38
          (10) Etorphine (except hydrochloride salt);
          (11) Heroin;
39
          (12) Hydromorphinol;
40
          (13) Methyldesorphine;
41
          (14) Methyldihydromorphine;
42
          (15) Morphine methylbromide;
43
          (16) Morphine methylsulfonate;
44
          (17) Morphine-N-Oxide;
45
          (18) Myrophine;
46
          (19) Nicocodeine;
47
48
          (20) Nicomorphine;
49
          (21) Normorphine;
          (22) Pholcodine;
50
```

(23) Thebacon.

- (d) Hallucinogenic substances. Any material, compound, mixture or preparation that contains any quantity of the following hallucinogenic substances, their salts, isomers and salts of isomers, unless specifically excepted, whenever the existence of these salts, isomers, and salts of isomers is possible within the specific chemical designation (for purposes of this subsection only, the term "isomer" includes the optical, position and geometric isomers):
 - (1) Dimethoxyphenethylamine, or any compound not specifically excepted or listed in another schedule that can be formed from dimethoxyphenethylamine by replacement of one (1) or more hydrogen atoms with another atom(s), functional group(s) or substructure(s) including, but not limited to, compounds such as DOB, DOC, 2C-B, 25B-NBOMe;
 - (2) Methoxyamphetamine or any compound not specifically excepted or listed in another schedule that can be formed from methoxyamphetamine by replacement of one (1) or more hydrogen atoms with another atom(s), functional group(s) or substructure(s) including, but not limited to, compounds such as PMA and DOM;
 - (3) 5-methoxy-3,4-methylenedioxy-amphetamine;
 - (4) 5-methoxy-N, N-diisopropyltryptamine;
 - (5) Amphetamine or methamphetamine with a halogen substitution on the benzyl ring, including compounds such as fluorinated amphetamine and fluorinated methamphetamine;
 - (6) 3,4-methylenedioxy amphetamine;
 - (7) 3,4-methylenedioxymethamphetamine (MDMA);
 - (8) 3,4-methylenedioxy-N-ethylamphetamine (also known as N-ethyl-alpha-methyl-3,4 (methylenedioxy) phenethylamine, and N-ethyl MDA, MDE, MDEA);
 - (9) N-hydroxy-3,4-methylenedioxyamphetamine (also known as N-hydroxy-alpha-methyl-3,4 (methylenedioxy) phenethylamine, and N-hydroxy MDA);
 - (10) 3,4,5-trimethoxy amphetamine;
 - (11) 5-methoxy-N, N-dimethyltryptamine (also known as 5-methoxy-3-2[2-(dimethylamino)ethyl]indole and 5-MeO-DMT);
 - (12) Alpha-ethyltryptamine (some other names: etryptamine, 3-(2-aminobutyl) indole);
 - (13) Alpha-methyltryptamine;
 - (14) Bufotenine;
 - (15) Diethyltryptamine (DET);
 - (16) Dimethyltryptamine (DMT);
 - (17) Ibogaine;
 - (18) Lysergic acid diethylamide;
 - (19) Marihuana;
 - (20) Mescaline;
 - (21) Parahexyl;
 - (22) Peyote;
- (23) N-ethyl-3-piperidyl benzilate;
 - (24) N-methyl-3-piperidyl benzilate;

1 (25) Para-methoxymethamphetamine (PMMA), 1-(4-methoxyphenyl)-N2 methylpropan-2-amine;
3 (25) (26) Psilocybin;
4 (26) (27) Psilocyn;
5 (27) (28) Tetrahydrocannabinols or synthetic equivalents of the sub-

- (27) (28) Tetrahydrocannabinols or synthetic equivalents of the substances contained in the plant, or in the resinous extractives of Cannabis, sp. and/or synthetic substances, derivatives, and their isomers with similar chemical structure such as the following:
 - i. Tetrahydrocannabinols, except for the permitted amount of tetrahydrocannabinol found in industrial hemp, or nabiximols in a drug product approved by the United States food and drug administration:
 - a. Δ ¹ cis or trans tetrahydrocannabinol, and their optical isomers, excluding dronabinol in sesame oil and encapsulated in either a soft gelatin capsule or in an oral solution in a drug product approved by the U.S. Food and Drug Administration.
 - b. Δ 6 cis or trans tetrahydrocannabinol, and their optical isomers.
 - c. Δ ^{3,4} cis or trans tetrahydrocannabinol, and its optical isomers. (Since nomenclature of these substances is not internationally standardized, compounds of these structures, regardless of numerical designation of atomic positions are covered.)
 - d. [(6aR,10aR)-9-(hydroxymethyl)-6,6-dimethyl-3-(2methyloctan-2-yl)-6a,7,10,10a-tetrahydrobenzo[c]chromen-1-ol)], also known as 6aR-trans-3-(1,1-dimethylheptyl)-6a,7,10,10a-tetrahydro-1-hydroxy-6,6-dimethyl-6H-dibenzo[b,d]pyran-9-methanol (HU-210) and its geometric isomers (HU211 or dexanabinol).
 - ii. The following synthetic drugs:
 - a. Any compound structurally derived from (1H-indole-3-yl) (cycloalkyl, cycloalkenyl, aryl) methanone, or (1H-indole-3-yl) (cycloalkyl, cycloalkenyl, aryl) methane, or (1H-indole-3-yl) (cycloalkyl, cycloalkenyl, aryl), methyl or dimethyl butanoate, amino-methyl (or dimethyl)-1-oxobutan-2-yl) carboxamide by substitution at the nitrogen atoms of the indole ring or carboxamide to any extent, whether or not further substituted in or on the indole ring to any extent, whether or not substituted to any extent in or on the cycloalkyl, cycloalkenyl, aryl ring(s) (substitution in the ring may include, but is not limited to, heteroatoms such as nitrogen, sulfur and oxygen).
 - b. N-(1-amino-3-methyl-1-oxobutan-2-yl)-1-(5-fluo-ropentyl)-1 H-indazole-3-carboxamide (5F-AB-PINACA).
 - c. 1-(1.3-benzodioxol-5-yl)-2-(ethylamino)-pentan-1-one (N-ethylpentylone, ephylone).
 - d. 1-(4-cyanobutyl)-N-(2-phenylpropan-2-yl)-1 H-inda-zole-3-carboxamide (4-cn-cumyl-BUTINACA).

```
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
```

- e. Ethyl 2-(1-(5-fluoropentyl)-1H-indazole-3carboxam-ido)-3,3-dimethylbutanoate * (5F-EDMB-PINACA).
- f. (1-(4-fluorobenzyl)-1H-indol-3-yl) (2,2,3,3tetramethylcyclopropyl)methanone (fub-144).
- g. 1-(5-fluoropentyl)-N-(2-phenylpropan-2-yl)-1H-inda-zole-3-carboxamide (5f-cumyl-pinaca; sgt25).
- h. (1-(5-fluoropentyl)-N-(2-phenylpropan-2-yl)-1

H-pyrrolo[2.3-B]pyridine-3-carboxamide(5fcumyl-P7AICA).

- i. FUB-AMB, MMB- FUBINACA (Methyl 2-(1-(4-fluoroben-zyl)-1H-indazole-3-carboxamido)-3-methylbutanoate.
- j. Methyl 2-(1-(cyclohexylmethyl)-1H-indole-3-carboxam-ido)-3-methylbutanoate (MMB-CHMICA, AMB-CHMICA).
- k. Methyl 2-(1-(cyclohexylmethyl)-1H-indole-3-carboxamido)-3,3-dimethylbutanoate (MDMB-CHMICA).
- 1. Methyl 2-(1-(4-fluorobenzyl)-1H-indazole-3-carboxam-ido-3,3-dimethylbutanoate (MDMB-FUBINACA).
- m. Methyl 2-(1-(5-fluoropentyl)-1H-indole-3-carboxam-ido)-3,3-dimethylbutanoate (5F-MDMBPICA).
- n. Methyl 2-(1-(5-fluoropentyl)-1H-indazole-3-carboxam-ido)-3,3-dimethylbutanoate (5F-ADB, 5FMDMB-PINACA).
- o. Methyl 2-(1-(5-fluoropentyl)-1H-indazole-3-carboxam-ido)-3-methylbutanoate (5FAMB).
- p. N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-(4-fluo-robenzyl)-1H-indazole-3-carboxamide (ADB-FUBINACA).
- q. N-(adamantan-1-yl)-1-(4-fluorobenzyl)-1H-indazole-3-carboxamide (FUB-AKB48; FUB-APINACA).
- r. N-(adamantan-1-yl)-1-(5-fluoropentyl)-1H-indazole-3-carboxamide (5F-APINACA, 5F-AKB48).
- s. N-(1-amino-3-methyl-1-oxobutan-2-yl)1-(Cyclohexyl-methyl)-1H-indazole-3-carboxamide (AB-CHMINACA).
- t. Naphthalen-1-yl 1-(5-fluoropentyl)-1H-indole-3-car-boxylate (NM2201; CBL2201).
- u. Any compound structurally derived from 3-(1-naph-thoyl)pyrrole by substitution at the nitrogen atom of the pyrrole ring to any extent, whether or not further substituted in the pyrrole ring to any extent, whether or not substituted in the naphthyl ring to any extent.
- v. Any compound structurally derived from 1-(1-naphthyl-methyl) indene by substitution at the 3-position of the indene ring to any extent, whether or not further substituted in the indene ring to any extent, whether or not substituted in the naphthyl ring to any extent.
- w. Any compound structurally derived from 3-pheny-lacetylindole by substitution at the nitrogen atom of the indole ring to any extent, whether or not further substituted in the indole ring to any extent, whether or not substituted in the phenyl ring to any extent.
- x. Any compound structurally derived from 2-(3-hydroxycy-clohexyl)phenol by substitution at the 5-position of the

phenolic ring to any extent, whether or not substituted in 1 2 the cyclohexyl ring to any extent. y. Any compound structurally derived from 3-(benzoyl)in-3 dole structure with substitution at the nitrogen atom of 4 the indole ring to any extent, whether or not further sub-5 stituted in the indole ring to any extent and whether or not 6 7 substituted in the phenyl ring to any extent. z. [2,3-dihydro-5-methyl-3-(4-morpholinylmethyl)pyrrol-8 o[1,2,3-de]-1,4-benzoxazin-6-yl]-1-napthalenylmethanone 9 (WIN-55, 212-2). 10 aa. 3-dimethylheptyl-11-hydroxyhexahydrocannabinol (HU-11 243). 12 bb. [(6S, 6aR, 9R, 10aR)-9-hydroxy-6-methyl-3-[(2R)-13 5-phenylpentan-2-yl]oxy-5,6,6a,7,8,9,10,10a-octahy-14 drophenanthridin-1-yl]acetate (CP 50,5561). 15 16 (28) (29) Ethylamine analog of phencyclidine: N-ethyl-1-phenylcyclohexylamine (1-phenylcyclohexyl) ethylamine; N-(1-phenylcy-17 clohexyl) ethylamine, cyclohexamine, PCE; 18 (30) Pyrrolidine analog of phencyclidine: 1-(phenylcyclohex-19 20 yl) -pyrrolidine, PCPy, PHP; 21 (31) Thiophene analog of phencyclidine 1-[1-(2-thienyl)-cyclohexyl]-piperidine, 2-thienylanalog of phencyclidine, TPCP, TCP; 22 (31) (32) Thiofuranyl fentanyl; 23 $\frac{(32)}{(33)}$ (33) 1-[1-(2-thienyl) cyclohexyl] pyrrolidine another name: 24 TCPy; 25 26 (33) (34) Spores or mycelium capable of producing mushrooms that contain psilocybin or psilocin. 27 (e) Unless specifically excepted or unless listed in another schedule, 28 any material, compound, mixture or preparation which contains any quantity 29 of the following substances having a depressant effect on the central ner-30 vous system, including its salts, isomers, and salts of isomers whenever the 31 existence of such salts, isomers, and salts of isomers is possible within the 32 specific chemical designation: 33 (1) Gamma hydroxybutyric acid (some other names include GHB; gam-34 ma-hydroxybutyrate, 4-hydroxybutyrate; 4-hyroxybutanoic acid; sod-35 ium oxybate; sodium oxybutyrate); 36 (2) Flunitrazepam (also known as "R2", "Rohypnol"); 37 (3) Mecloqualone; 38 (4) Methaqualone. 39 (f) Stimulants. Unless specifically excepted or unless listed in an-40 other schedule, any material, compound, mixture, or preparation which con-41 tains any quantity of the following substances having a stimulant effect on 42 the central nervous system, including its salts, isomers, and salts of iso-43 mers: 44 (1) Aminorex (some other names: aminoxaphen, 2-amino-5-phenyl-2-ox-45 azoline, or 4,5-dihydro-5-phenyl-2-oxazolamine), 4,4'-dimethylam-46 inorex (4,4'-DMAR; 4,5-dihydro-4-methyl-5-(4-methylphenyl)-2-oxazo-47

lamine) or (4,5-dihydro-5-phenyl-2-oxazolamine);

(2) Cathinone (some other names: 2-amino-1-phenol-1-propanone, alp-

ha-aminopropiophenone, 2-aminopropiophenone and norephedrone);

48

49

- (3) Substituted cathinones. Any compound, except bupropion or compounds listed under a different schedule, structurally derived from 2-aminopropan-1-one by substitution at the 1-position with either phenyl, naphthyl or thiophene ring systems, whether or not the compound is further modified in any of the following ways:
 - i. By substitution in the ring system to any extent with alkyl, alkylenedioxy, alkoxy, haloalkyl, hydroxyl or halide substituents, whether or not further substituted in the ring system by one (1) or more other univalent substituents;
 - ii. By substitution at the 3-position with an acyclic alkyl substituent;
 - iii. By substitution at the 2-amino nitrogen atom with alkyl, dialkyl, benzyl or methoxybenzyl groups, or by inclusion of the 2-amino nitrogen atom in a cyclic structure.
- (4) Alpha-pyrrolidinoheptaphenone* (PV8);
- (5) Alpha-pyrrolidinohexanophenone* (a-php) (A-PHP);
- (6) 4-chloro-alpha-pyrrolidinovalerophenone* (4chloro-a-pyp);
- (7) Fenethylline;

- (8) Methcathinone (some other names: 2-(methyl-amino)-propiophenone, alpha-(methylamino)-propiophenone, N-methylcathinone, AL-464, AL-422, AL-463 and UR1423);
- (9) (+/-) cis-4-methylaminorex [(+/-) cis-4,5-dihydro-4-methyl-5-phenyl-2-oxazolamine];
- (10) 4-methyl-alpha-ethylaminopentiophenone* (4-MEAP);
- (11) 4'-methyl-alpha-pyrrolidinohexiophenone* (mphp) (MPHP);
- (12) N-benzylpiperazine (also known as: BZP, 1-benzylpiperazine);
- (13) N-ethylamphetamine;
- (14) N-ethylhexedrone*;
- (15) N, N-dimethylamphetamine (also known as: N, N-alpha-trimethylbenzeneethanamine).
- SECTION 2. That Section 37-2711, Idaho Code, be, and the same is hereby amended to read as follows:
- 37-2711. SCHEDULE IV. (a) Schedule IV shall consist of the drugs and other substances, by whatever official name, common or usual name, chemical name, or brand name designated, listed in this section.
- (b) Narcotic drugs. Unless specifically excepted or unless listed in another schedule, any material, compound, mixture, or preparation containing any of the following narcotic drugs, or their salts calculated as the free anhydrous base or alkaloid, in limited quantities as set forth below:
 - (1) No more than 1 milligram of difenoxin and not less than 25 micrograms of atropine sulfate per dosage unit;
 - (2) Dextropropoxyphene (alpha-(+)-4-dimethylamino-1, 2-diphenyl-3-methyl-2-propionoxybutane);
 - (3) 2- [(dimethylamino)methyl]-1-(3-methoxyphenyl) cyclohexanol (including tramadol), including its salts, optical and geometric isomers, and salts of isomers.
- (c) Depressants. Unless specifically excepted or unless listed in another schedule, any material, compound, mixture, or preparation which contains any quantity of the following substances, including its salts, iso-

```
mers, and salts of isomers whenever the existence of such salts, isomers, and
1
2
     salts of isomers is possible within the specific chemical designation:
          (1) Alfaxalone 5[alpha]-pregnan-3[alpha]-ol-11,20-dione;
3
          (2) Alprazolam;
4
          (3) Barbital;
5
6
          (4) Bromazepam;
          (5) Camazepam;
7
          (6) Carisoprodol;
8
          (7) Chloral betaine;
9
10
          (8) Chloral hydrate;
          (9) Chlordiazepoxide;
11
          (10) Clobazam;
12
          (11) Clonazepam;
13
          (12) Clorazepate;
14
15
          (13) Clotiazepam;
16
          (14) Cloxazolam;
17
          (15) Daridorexant;
          (15) (16) Delorazepam;
18
          (16) (17) Diazepam;
19
20
          (17) (18) Dichloralphenazone;
21
          (18) (19) Estazolam;
          (19) (20) Ethchlorvynol;
22
          (20) (21) Ethinamate;
23
24
          (21) (22) Ethyl loflazepate;
          (22) (23) Fludiazepam;
25
          <del>(23)</del> (24) Flurazepam;
26
          (24) (25) Fospropofol;
27
          (25) (26) Halazepam;
28
          \frac{(26)}{(27)} (27) Haloxazolam;
29
          (27) (28) Ketazolam;
30
          (28) (29) Lemborexant;
31
          (29) (30) Loprazolam;
32
          (30) (31) Lorazepam;
33
34
          (31) (32) Lormetazepam;
35
          (32) (33) Mebutamate;
          (33) (34) Medazepam;
36
          (34) (35) Meprobamate;
37
38
          (35) (36) Methohexital;
          (36) (37) Methylphenobarbital (mephobarbital);
39
          (37) (38) Midazolam;
40
          (38) (39) Nimetazepam;
41
42
          (39) (40) Nitrazepam;
          (40) (41) Nordiazepam;
43
          (41) (42) Oxazepam;
44
          (42) (43) Oxazolam;
45
          (43) (44) Paraldehyde;
46
          (44) (45) Petrichloral;
47
48
          (45) (46) Phenobarbital;
          (46) (47) Pinazepam;
49
          <del>(47)</del> (48) Prazepam;
50
```

```
<del>(48)</del> (49) Quazepam;
1
         (49) (50) Remimazolam;
2
         (50) (51) Serdexmethylpheniate;
3
         (51) (52) Suvorexant;
4
         (52) (53) Temazepam;
5
         <del>(53)</del> (54) Tetrazepam;
6
7
         (54) (55) Triazolam;
         (55) (56) Zaleplon;
8
         (56) (57) Zolpidem;
9
10
         (57) (58) Zopiclone.
         (d) Fenfluramine -- Any material, compound, mixture, or preparation
11
    which contains any quantity of the following substances, including its
12
    salts, isomers (whether optical, position, or geometric), and salts of such
13
    isomers, whenever the existence of such salts, isomers, and salts of isomers
14
15
    is possible:
16
         (1) Dexfenfluramine;
         (2) Fenfluramine.
17
         (e) Stimulants. Unless specifically excepted or unless listed in an-
18
    other schedule, any material, compound, mixture, or preparation which con-
19
20
    tains any quantity of the following substances having a stimulant effect on
21
    the central nervous system, including its salts, isomers (whether optical,
    position, or geometric), and salts of such isomers whenever the existence
22
    of such salts, isomers, and salts of isomers is possible within the specific
23
    chemical designation:
24
         (1) Cathine ((+)-norpseudoephedrine);
25
         (2) Diethylpropion;
26
         (3) Fencamfamin;
27
         (4) Fenproporex;
28
         (5) Lorcaserin;
29
         (6) Mazindol;
30
         (7) Mefenorex;
31
32
         (8) Modafinil;
         (9)
                Pemoline
                          (including organometallic complexes and chelates
33
34
         thereof);
         (10) Phentermine;
35
         (11) Pipradrol;
36
         (12) Sibutramine;
37
         (13) SPA ((-)-1-dimethylamino-1,2-diphenylethane);
38
         (14) Solriamfetol(2-amino-3-phenylpropyl carbamata; benzenepropanol,
39
         beta-amino-, carbamate (ester)).
40
         (f) Other substances. Unless specifically excepted, or unless listed
41
    in another schedule, any material, compound, mixture or preparation which
42
    contains any quantity of the following substances, including its salts:
43
         (1) Brexanolone (3A-hydroxy-5A-pregnan-20-one), allopregnanolone;
44
         (2) Butorphanol (including its optical isomers);
45
                                   (5-[[(2S)-2-amino-3-[4-aminocarbonyl)-2,6-
46
         (3)
                   Eluxadoline
         dimethylphenyl]-1-oxopropyl][(1S)-1-(4-phenyl-1H-imidazol-2-
47
         yl)ethyl]amino]methyl]-2-methoxybenzoic acid) (including its optical
48
         isomers) and its salts, isomers, and salts of isomers;
49
```

(4) Pentazocine.

(g) The board may except, by rule, any compound, mixture, or preparation containing any depressant substance listed in subsection (c) of this section from the application of all or any part of this act if the compound, mixture, or preparation contains one (1) or more active medicinal ingredients not having a depressant effect on the central nervous system, and if the admixtures are included therein in combinations, quantity, proportion, or concentration that vitiate the potential for abuse of the substances which have a depressant effect on the central nervous system.

SECTION 3. That Section 37-2713, Idaho Code, be, and the same is hereby amended to read as follows:

- 37-2713. SCHEDULE V. (a) Schedule V shall consist of the drugs and other substances, by whatever official name, common or usual name, chemical name, or brand name designated, listed in this section.
- (b) Narcotic drugs. Unless specifically excepted or unless listed in another schedule, any material, compound, mixture, or preparation containing any of the following narcotic drugs and their salts, as set forth below.
- (c) Narcotic drugs containing nonnarcotic active medicinal ingredients. Any compound, mixture, or preparation containing any of the following limited quantities of narcotic drugs or salts thereof, which shall include one (1) or more nonnarcotic active medicinal ingredients in sufficient proportion to confer upon the compound, mixture, or preparation, valuable medicinal qualities other than those possessed by the narcotic drug alone:
 - (1) Not more than 200 milligrams of codeine per 100 milliliters or per 100 grams;
 - (2) Not more than 100 milligrams of dihydrocodeine per 100 milliliters or per 100 grams;
 - (3) Not more than 100 milligrams of ethylmorphine per 100 milliliters or per 100 grams;
 - (4) Not more than 2.5 milligrams of diphenoxylate and not less than 25 micrograms of atropine sulfate per dosage unit;
 - (5) Not more than 100 milligrams of opium per 100 milliliters or per 100 grams;
 - (6) Not more than 0.5 milligrams different and not less than 25 micrograms of atropine sulfate per dosage unit.
- (d) Other substances. Unless specifically excepted or unless listed in another schedule, any material, compound, mixture or preparation which contains any quantity of the following substances, including its salts:
 - (1) Brivaracetam ((2S)-2-[(4R)-2-oxo-4-propylpyrrolidin-1-yl]butanamide) (also referred to as BRV; UCB-34714; Briviact) (including its salts);
 - (2) Cenobamate[(1R)-1-(2-chlorophenyl)-2-(tetrazol-2-yl)ethyl]carbamate;
 - (3) Ezogabine [N-[2-amino-4-(4-fluorobenzylamino)-phenyl]-carbamic acid ethyl ester]-2779;
 - (4) Ganaxolone (3-alpha-hydroxy-3-beta-methyl-5-alpha-pregnan-20-one);
 - $\frac{(4)}{(5)}$ Lacosamide;

 (5) (6) Lasmiditan [2,4,6-trifluoro-N-(6-(1-methylpiperidine-4-carbonyl)pyridine-2-yl)benzamide];

```
1 \frac{(6)}{(7)} Pregabalin; 2 \frac{(7)}{(8)} Pyrovalerone.
```

SECTION 4. An emergency existing therefor, which emergency is hereby declared to exist, this act shall be in full force and effect on and after July 1, 2023.